

# Quat D/C

## Disinfectant Concentrate

### Prevent the contraction or spread of bacteria, viruses and mildew!

- ✓ For use as a one-step, general, medical disinfectant, fungicide, deodorizer, cleaner.
- ✓ For use as an animal premise disinfectant/virucide mildewstatic and fungicidal performance.
- ✓ **Animal premise virucidal performance:** this product kills the following viruses in 10 minutes at 4.5oz Per gallon Of 400ppm hard water and 5% soil on hard, non-porous surfaces: canine parvovirus, rabies virus.
- ✓ For heavy duty cleaning of toilet bowls and urinals.
- ✓ **For cleaning carpets:** this product can be used to clean carpets in industrial, institutional, commercial and residential areas such as homes, motel & hotel chains, nursing homes, schools and hospitals. Can be used with truck mounted extraction machines and rotary floor machines.



*Floral Scent*

• Concentrate 1 Gallon (128oz)

Refer to back for full label information.

Fax: 816.873.3223  
Phone: 888.873.3442

**FIRST AID:** In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**Active Ingredients:**

Didecyl Dimethyl Ammonium Chloride ..... 5.07%  
Alkyl (50% C14, 40% C12, 10% C16)

Dimethyl Benzyl Ammonium Chloride ..... 3.38%

**OTHER INGREDIENTS:** ..... 91.55%

**TOTAL:** ..... 100.00%

**CAUTION: Keep out of reach of children.**

Concentrate

Net Contents: Gallon (128oz)

EPA Est. No. 61524-GA-1

EPA Reg. No. 10324-155-96352

**DISINFECTION PERFORMANCE:** This product kills the following bacteria in 10 minutes at 1oz per gal of 400ppm hard water (660ppm active) and 5% soil on hard, non-porous surfaces: *Acinetobacter baumannii*, *Acinetobacter lwoffii*, *Bordetella bronchiseptica*, *Citrobacter freundii*, *Enterobacter agglomerans*, *Enterobacter aerogenes*, *Enterobacter cloacae*, *Escherichia coli*, *Escherichia coli* O157:H7, *Escherichia coli* (Extended Spectrum BLactamase) (ESBL), *Escherichia coli* (Tetracycline Resistant), *Pseudomonas aeruginosa* (Tetracycline Resistant), *Enterococcus faecalis*, *Enterococcus hirae*, *Fusobacterium necrophorum*, *Klebsiella oxytoca*, *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Micrococcus luteus*, *Pasturella multocida*, *Proteus vulgaris*, *Pseudomonas cepacia*, *Salmonella enterica*, *Salmonella enterica* serotype pullorum, *Salmonella enteritidis*, *Salmonella typhi*, *Salmonella typhimurium*, *Serratia marcescens*, *Shigella flexneri*, *Shigella sonnei*, *Staphylococcus aureus*, *Staphylococcus aureus* (Community Associated Methicillin Resistant), *Staphylococcus aureus* (Methicillin Resistant), *Staphylococcus epidermidis*, *Staphylococcus epidermidis* (Ampicillin, Cefazolin, Oxacillin, Penicillin Resistant), *Streptococcus agalactiae*, *Staphylococcus haemolyticus*, *Streptococcus pneumoniae* (Penicillin Resistant), *Streptococcus pyogenes*, *Streptococcus mutans*, *Enterococcus faecalis* (Vancomycin Resistant), *Staphylococcus aureus* (Vancomycin Intermediate Resistant), *Vibrio cholera*, *Yersinia enterocolitica*.

**ANIMAL PREMISE VIRUCIDAL PERFORMANCE:** This product kills the following viruses in 10 minutes at 1oz per gal of 400ppm hard water (660ppm active) and 5% soil on hard, non-porous surfaces: Avian Infectious Bronchitis Virus, Canine Coronavirus, Canine Distemper Virus, Feline Picornavirus, Infectious Bovine Rhinotracheitis Virus, Pseudorabies Virus, Swine Influenza A Virus (H1N1), Transmissible Gastroenteritis Virus. This product kills the following viruses in 10 minutes at 4.5oz per gal of 400ppm hard water and 5% soil on hard, non-porous surfaces: Canine Parvovirus\*\*, Rabies Virus\*\*.

\*\*Indicates that a dilution of 4.5oz per gal of water is required for this claim.

**FUNGICIDAL PERFORMANCE:** This product kills the following fungi in 10 minutes at 1oz per gal of 400ppm hard water (660ppm active) and 5% soil on hard, non-porous surfaces: *Candida albicans*, *Trichophyton mentagrophytes* (Athlete's foot fungus) (a cause of Ringworm).

**MILDEWSTATIC PERFORMANCE:** This product controls the following mold at 1oz per gal of 400ppm hard water (660ppm active) and 5% soil on hard, non-porous surfaces for up to 7 days: *Aspergillus niger*.

Effective in hard water up to 400ppm hardness calculated as Ca CO3 in the presence of 5% soil. This product is effective against Canine Parvovirus\*\*. This product is a no-rinse disinfectant cleaner that disinfects, cleans and deodorizes in one labor-saving step. This product is a multi-surface cleaner, deodorizer and disinfectant. This product is for use on hard, non-porous surfaces in veterinary clinics, animal life science laboratories, animal research centers, animal quarantine areas, animal breeding facilities, breeding establishments, grooming establishments, tack shops and pet shops.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Rinse hard, non-porous food contact surfaces with potable water after application of product.

**FOR USE AS A ONE-STEP, GENERAL DISINFECTANT, FUNGICIDE, CLEANER:** Pre-clean heavily soiled areas. Apply use solution of 1oz of this product per gal of water (or equivalent use dilution) to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth or allow to air dry. Prepare a fresh solution daily or when visibly dirty.

**FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE:** Prepare a use solution of 1oz of this product per gal of water for effectiveness against designated animal viruses on the label.

**FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE\*\*:** Prepare a use solution of 4.5oz of this product per gal of water for effectiveness against designated animal viruses on the label. Apply use solution to disinfect hard, non-porous surfaces with a sponge, brush, cloth, by immersion, mechanical spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Immerse all halters and other types of equipment used in handling and restraining animals, as well as forks, shovels and scrapers used for removing litter and manure in the use solution. Treated surfaces must remain wet for 10 minutes.

Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other treated equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse.

**TO CONTROL MOLD/MILDEW:** Pre-clean heavily soiled areas. Prepare use solution by adding 1oz of this product per gal of water. Apply use solution to hard, non-porous surfaces which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

**FOR HEAVY DUTY CLEANING OF TOILET BOWLS AND URINALS:** Pre-clean heavily soiled areas. Empty toilet bowl or urinal and apply 2oz of this product to exposed surfaces including under the rim with toilet brush, mop, cloth or sponge, mechanical spray device, hand pump, coarse trigger spray device. For sprayer application, spray 6-8 inches from surface. Do not breathe spray. To aid in soil removal, allow to soak. Brush or swab thoroughly and allow solution to stand for 10 minutes and flush.

**SPECIAL INSTRUCTIONS FOR CLEANING CARPETS:** This product can be used to clean carpets in industrial, institutional, commercial and residential areas such as homes, motel & hotel chains, nursing homes, schools and hospitals. For use on wet cleanable synthetic fibers. Do not use on wool. Vacuum carpet thoroughly prior to cleaning. Test fabric for color fastness.

**For Portable Extraction Units:** Mix 1 - 2oz of this product per gal of water, or equivalent use dilution. For Truck Mounted Extraction Machines: Mix 1 - 2oz of this product per gal of water, or equivalent use dilution, and meter at 4 gal per hour.

**For Rotary Floor Machines:** Mix 1 - 2oz of this product per gal of water, or equivalent use dilution, and apply at the rate of 300-500sq ft per gal.

**PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER.** Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing.

Wear goggles or face shield and chemical resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, aquatic invertebrates, oysters and shrimp.

**STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE STORAGE:** Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:** Non-Refillable Container. Do not reuse or refill this container. Triple rinse container promptly after emptying.

Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

Thornell Corporation  
P.O. BOX 363  
100 James Street  
Smithville, MO 64089