

Quat Plus R-T-U

Disinfectant Ready-To-Use

An effective soft surface sanitizer.

- ✓ Kills microorganisms on soft surfaces, bedding and blankets, curtains/drapes, exercise mats, gym bags, headrests, mats/mattresses, seat-and/or-soft cushions, sports equipment, towels and upholstered furniture.
- ✓ Freshens fabrics, carpets and air.
- ✓ This product will clean and disinfect hard non-porous surfaces such as trashcans, doorknobs, and desks.
- ✓ This product is an effective virucide on hard, non-porous surfaces against Feline Calicivirus, Norovirus (Norwalk Virus), Canine Parvovirus, Rhinovirus Type 14 (ATCC VR-284) and Rhinovirus Type 39 (ATCC VR-340).
- ✓ Kills Pandemic 2009 H1N1 Influenza A virus (formerly called swine Flu).
- ✓ Kills HIV-1, HBV and HVC on pre-cleaned environmental surfaces/objects previously solid with bloody/body fluids.

- 1 Gallon (128 fl oz)
- 1 Quart (32 fl oz)

Refer to back for full label information.



FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Active Ingredients:

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
Dimethyl Benzyl Ammonium Chloride	0.15%
Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chlorides	0.15%
INERT INGREDIENTS:	99.70%
TOTAL:	100.00%

Kills Pandemic 2009 H1N1 Influenza A virus (formerly called swine flu). Kills Rhinovirus, Norovirus, and Canine Parvovirus in 2 minutes. Kills Poliovirus in 5 minutes. Kills Cold^{††} and Flu Viruses. Kills Carbapenem Resistant Enterobacteriaceae (CRE)^{†††}. Kills common household, kitchen and bathroom bacteria.

^{††}Rhinovirus, ^{†††}Klebsiella pneumoniae New Delhi Metallo-Beta Lactamase (NDM-1) Carbapenem Resistant.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not for use on critical and semi-critical medical device surfaces.

Fill or refill the Quat Plus R-T-U Disinfectant Ready-To-Use spray bottle with this product refill. Pour product into spray bottle over sink or tub basin.

GENERAL CLEANING: Spray soiled area then wipe with a dry paper towel or lint-free cloth.

DISINFECTING, DEODORIZING: Remove gross filth or heavy soil prior to application of the product. Apply product with a hand pump trigger sprayer or low pressure coarse sprayer. Hold sprayer six to eight inches from the surface to be treated. Spray area until it is covered with the product. Allow surface to remain visibly wet for 2 minutes. No scrubbing necessary. Allow treated surfaces to air dry or wipe off with a clean cloth, mop, or sponge.

When using on food contact surfaces: Counter tops, stovetops, highchairs, kitchen appliances, thoroughly rinse all treated surfaces with potable tap water.

This product must not be used to clean eating utensils, glassware and dishes.

This product is an effective disinfectant against: Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus and Klebsiella pneumoniae New Delhi Metallo-Beta Lactamase (NDM-1) Carbapenem Resistant.

***VIRUCIDAL ACTIVITY:** This product is an effective virucide on hard, non-porous surfaces against Human Immunodeficiency Virus Type-1 (HIV-1) and Avian Influenza Virus (H5N1) NIBRG-14, when the treated surface is allowed to remain wet for 30 seconds.

This product is an effective virucide on hard, non-porous surfaces against Human Rotavirus (ATCC VR-2018), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Duck Hepatitis B Virus (DHBV) and Bovine Viral Diarrhea Virus (BVDV) when the treated surface is allowed to remain wet for 1 minute (60 seconds).

This product is an effective virucide on hard, non-porous surfaces against Feline Calicivirus, Norovirus (Norwalk Virus), Canine Parvovirus, Rhinovirus Type 14 (ATCC VR-284) and Rhinovirus Type 39 (ATCC VR-340), when the treated surface is allowed to remain wet for 2 minutes. This product is effective against Poliovirus Type 1 (ATCC VR-1562) when the treated surface is allowed to remain wet for 5 minutes. Allow treated surfaces to air dry or wipe off with a clean cloth, mop or sponge.

KILLS HIV-1, HBV and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/ OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1, Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

CAUTION: Keep out of reach of children.

Net Contents: Gallon (128 fl oz)

Net Contents: Quart (32 fl oz)

EPA Est. No. 61524-GA-1

EPA Reg. No. 1839-220-96352

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Allow surfaces to remain wet for 2 minutes. HIV-1 is inactivated in 30 seconds, HBV and HCV are inactivated in 1 minute.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

To Sanitize Soft Surfaces[§] (Fabrics[§]): Hold bottle upright 6" – 8" from surface. Spray until fabric is wet. **DO NOT SATURATE.** Surface must remain wet for 2-minute contact time. Allow to air dry. For difficult odors or heavy fabrics, repeat application. Reapply as necessary. Heavy soil must be removed prior to sanitizing.

This product is an effective sanitizer against Enterobacter aerogenes (ATCC 13048) and Staphylococcus aureus (ATCC 6538) in 2 minutes. For first time use on soft surfaces, spot test in a small, inconspicuous area and check with manufacture care guide before use.

[§]Composed of 100% cotton or 100% polyester or 50/50 cotton/polyester

STORAGE AND DISPOSAL: DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE: Store in a dry place inaccessible to children.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or puncture and dispose in a sanitary landfill, incineration, or burning, if allowed by state and local authorities. If burned stay out of smoke.

CONTAINER DISPOSAL FOR REFILL SPRAY BOTTLE: Do not reuse empty spray bottle except with refill container, otherwise wrap spray bottle and discard in trash. Offer for recycling if available.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation.

Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Thornell Corporation
P.O. BOX 363
100 James Street
Smithville, MO 64089